

# CLAAS

## AGRICOOOL -37°C

Claas AgriCool -37°C is a «very long life» coolant on basis of monoethylene glycol and organic corrosion inhibitors, based upon the most recent developments about material protection in a corrosive environment (this technology is protected by several patents). It contains a bittering agent to make it undrinkable and therefore preserves the health of children and users.

### APPLICATIONS

**CLAAS tractors**  
**and**  
**Harvesting machines**

- Permanent cooling liquid that offers an efficient protection against freezing (until -37°C) and overheating of the engine, during the whole year.
- Specially developed for use in CLAAS tractors and harvesting machines.
- Ready for use, as a mix with demineralised water.
- Can be used for cast iron as well as aluminium engines, and also in engine radiators in aluminium or copper alloy.
- Specially recommended for new technology engines, where aluminium protection at high temperatures is extremely important.

### CUSTOMER BENEFITS

**Improved heat transfer**  
**Long Life**  
**Corrosion protection**

- Non layer forming Inhibitors lead to a better heat exchange and cooling capacity.
- Excellent corrosion protection of aluminium at high temperature

### PERFORMANCES

- Meets the international specifications concerning antifreeze :  
ASTM D3306 / ASTM D4985  
NFR 15-601  
BS 6580
- Meets the requirements  
Caterpillar  
MB-Approval 326.3  
DEUTZ  
CLAAS: Renault Agriculture  
DPS Engines

### CARACTERISTICS

CLAAS AGRICOOOL -37°C	Units	
Appearance	visual	Clear to slightly hazy
Colour	visual	Green fluorescent
Density at 20 °C		1.068
Freezing Point	°C	-37
Refractive Index		1.385

The typical characteristics mentioned represent mean values.

CLAAS AgriCool -37°C  
May 2010  
MPR N°

Developed with **TOTAL**  
technology at the service of  
**CLAAS**